



TMB CAPITAL s. r. o.

Lermontovova 911/3, 811 05 Bratislava, Slovensko

IČO 57256730 · DIČ 2122632160

+421 951 981 839

info@bullvend.sk

www.bullvend.sk


Výdajné, nápojové a kávové automaty



PRODUKTOVÝ KATALÓG 2026

Vending & Coffee Machines

Predaj · Prenájom · Servis po celom Slovensku



bullvend.sk

CONTENTS

Snack and Drink Vending Machine	01-10
Smart Cooler	11-14
Elevator Vending Machine	15-20
Intelligent Micro Market	21-23
Hot Food Vending Machine	24-35
Freezer Vending Machine	36-42
Coffee Vending Machine	43-47
Mystery box vending machine	48-49
Non-Refrigerated Vending Machine.....	50-56



Best Seller Vending Machine

BV-CSC-10G(H5)




Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H: 1940mm (76.3in) W:1036mm (40.7in) D: 790mm (31.1in)
Screen	5 inch LCD screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	265 kg (584lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Best Seller Vending Machine

BV-CSC-10G(V10)




Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



10.1"
Touch Screen



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H: 1940mm (76.3in) W:1036mm (40.7in) D: 790mm (31.1in)
Screen	10 inch touch screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 60W
Weight	265 kg (584lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Snack and Drink Vending Machine

BV-CSC-8G(H5)




Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	48 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 240 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1940mm (76.3in) W:885mm (34.8in) D:790mm (31.1in)
Screen	5 inch LCD screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	240kg (529lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Slim Vending Machine

BV-CSC-6G(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Small Footprint, Flexible Deployment
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	36 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 180 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1940mm (76.3in) W:732mm (28.8in) D:790mm (31.1in)
Screen	5 inch LCD screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	215kg (474lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Big Screen Vending Machine

BV-CSC-8C(V49)




Photoelectric Dispensing Detection



Anti-theft shield



Integral Foaming Refrigeration



Glass defogging system



49" Touch Screen



Telemetry system

Feature

- Large-screen with rotating ads
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	48 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 240 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1976mm(77.8in) W:1045mm(41.1in) D:900mm(35.4in)
Screen	49" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 570W Normal 80W
Weight	330 kg (727lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Touch Screen Machine

BV-CSC-10C(V22)



Photoelectric Dispensing Detection



Anti-theft shield



Integral Foaming Refrigeration



Glass defogging system



21.5" capacitive screens



Telemetry system

Feature

- Large-screen with rotating ads
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1940mm (76.3in) W:1275mm (50.1in) D:790mm (31.1in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 510W Normal 60W
Weight	275 kg (606lb)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Snack and Drink Vending Machine

BV-CSC-12G(H5)




Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	72 slots	
Type	Spiral / Conveyor / Pusher	
Capacity	All beverages 360 pcs	
Suitable for	Beverages, Snacks, Combo	
Dimension	H: 1940mm	(76.38 in)
	W: 1190mm	(46.85 in)
	D: 790mm	(31.1 in)
Screen	5 inch LCD screen	
	10 inch touch screen (Optional)	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 420W Normal 40W	
Weight	280 kg (617.29lb)	
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	
Interface Support	MDB ,DEX,EXE	

Master & Slave Vending Machine

BV-CSC-10G(H5)+10N



Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Double Capacity, One Operating System
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	120	
Type	Spiral / Conveyor / Pusher	
Capacity	All beverages 600 pcs	
Suitable for	Beverages, Snacks, Combo	
Dimension	H:1940mm	(76.3in)
	W:1920mm	(75.5in)
	D:790mm	(31.1in)
Screen	5" Screen	
	10 inch touch screen (Optional)	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 840W Normal 80W	
Weight	470kg (1036.17lb)	
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	
Interface Support	MDB ,DEX,EXE	

Cashless Vending Machine

BV-CSC-10N(V10)




Photoelectric
Dispensing Detection



Anti-theft
shield



Integral Foaming
Refrigeration



Glass
defogging system



10.1"
Touch Screen



Telemetry
system

Feature

- Integrated Multiple Contactless Payment Options
- Multi-Language User Interface
- Modular Design for Easy Maintenance
- Adjustable Universal Slot

Specification

Quantity	60 slots
Type	Spiral / Conveyor / Pusher
Capacity	All beverages 300 pcs
Suitable for	Beverages, Snacks, Combo
Dimension	H:1940mm (76.3in) W:882mm (34.7in) D:790mm (31.1in)
Screen	5 inch LCD screen 10 inch touch screen (Optional)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 420W Normal 40W
Weight	220kg(485 bl)
Temperature	2°C~25°C (35.6°F~77°F) adjustable Optional: Extra heating module
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE

Cup Noodles Vending Machine

BV-CSC-10C(V22)-CN




Hot Water



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature

- Built-in Hot Water, for Cup Noodles
- Boost Sales with Multiple Items

Specification

Quantity	60 slots
Type	Spiral / Conveyor
Capacity	300 psc
Suitable for	Cup noodles,Beverages,Snacks
Dimension	H: 1940mm (76.3in) W: 1403mm (55.2in) D: 790mm (31.1in)
Screen	21. 5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	2800W
Weight	315kg(694.4bl)
Temperature	Non-refrigerated
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay
Interface Support	MDB ,DEX,EXE



SMART COOLER

AI Technology

BV-CFZ-530-V




Visual sensing
technology



10.1"
Touch Screen



All-category sale



AI intelligent
recognition



Cost
effective



Telemetry
system

Feature

- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 530 Litre

AI technology

Dimension H:1990mm (78.3in)
W:700mm (27.5in)
D:735mm (28.9in)

Shelves 5~6 adjustable shelves

Temperature 0°C~10°C (32°F~50°F)

Refrigerat: R290

Temperature control Electronic
Remotr control

Glass door: Two-layer tempered glass door
with aluminum frame

Power consumption:3.0kwh/24h

Weight: 120kg (264.5lb)

Power: 500W

Internet connection:4G

Stock: 320 bottled drinks at 500ml

Payment methods Card payment functions

Support Credit/Debit
Card: VISA/Master Card/AMEX
E-wallet: Alipay/Monyx/Apples pay/
Google Pay/Samsung Pay

AI Technology


BV-CFZ-1074-V



Visual sensing technology



10.1" Touch Screen



All-category sale



AI intelligent recognition



Cost effective



Telemetry system

Feature

- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 1074 Litre	
AI technology	
Dimension	H:2090mm (82.2in) W:1200mm (47.2in) D:690mm (27.1in)
Shelves:	5~6 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic
Remotr control	
Glass door:	Two-layer tempered glass door with aluminum frame
Power consumption: 5.0kwh/24h	
Weight:	220kg (485.01lb)
Power:	611W
Internet connection:	4G
Stock:	800 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Weight sensing technology


BV-CFZ-530-W




Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature

- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV
- Fail-Safe Backup Power

Specification

Interior capacity 510 Litre	
Weight sensing technology	
Dimension	H:1990mm (78.3in) W:700mm (27.5in) D:735mm (28.9in)
Shelves	5 adjustable shelves
Temperature	0°C~10°C (32°F~50°F)
Refrigerat:	R290
Temperature control	Electronic
Remotr control	
Glass door:	Two-layer tempered glass door with aluminum frame
Power consumption:3.0kwh/24h	
Weight:	140 kg (308.65lb)
Power:	500W
Internet connection:	4G
Stock:	300 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Master Card/AMEX Ewallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Weight sensing technology


BV-CFZ-1074-W




Weight sensing technology



10.1" Touch Screen



All-category sale



Combined AI recognition



Fast settlement



Telemetry system

Feature

- With multi-weight management
- Seamless Grab-and-Go Experience
- Multi-Item Checkout, Higher AOV

Specification


Interior capacity	1074 Litre
Weight sensing technology	
Dimension	H:2090mm (82.2in) W:1200mm (47.2in) D:690mm (27.1in)
Shelves:	5 adjustable shelves
Temperature:	0°C~10°C(32F~50F)
Refrigerat:	R290
Temperature control	Electronic Remotr control
Glass door:	Two-layer tempered glass door with aluminum frame
Power consumption:	5.0kwh/24h
Weight:	220kg (485.01lb)
Power:	650W
Internet connection:	4G
Stock:	800 bottled drinks at 500ml
Payment methods	Card payment functions
Support	Credit/Debit Card: VISA/Monyx/Apple pay/ Google pay/Samsung pay

Elevator Vending Machine



Elevator Vending Machine

BV-CEL-11G(H5)




Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



Strong compatibility
with oversized pick-up ports



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Versatile Packaging Support
- Multi-Language User Interface
- Modular Design for Easy Maintenance

Specification

Slot Quantity	60 (6 layers*10 slots)
Slot type	Spiral / Conveyor / Pusher
Slot capacity	300
Product	salad/vegetable/drink/snack/ combo
Dimension	H:1955mm (76.9in) W:1222mm (48.1in) D:850mm (33.4in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 422W Normal 25W
Weight	340kg (749.57lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Full Screen Vending Machine

BV-CEL-9C(V55)




Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



55"
Touch Screen



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Large-screen with rotating ads
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification

Slot Quantity	54 (6 layers*9 slots)
Slot type	Spiral / Conveyor / Pusher
Slot capacity	270
Product	salad/vegetable/drink/snack/ combo
Dimension	H:1955mm (76.9in) W:1222mm (48.1in) D:850mm (33.4in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 422W Normal 25W
Weight	400kg (881.8lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Elevator Vending Machine

BV-CEL-11G(V22)+11R



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface

Specification

Slot Quantity	60	120
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	300	600
Product	salad/vegetable/drink/snack/ combo	
Dimension	H:1945mm	(76.6in)
	W:1443mm	(57.2in)
	D:850mm	(33.4in)
	H 1945mm	(76.6in)
	W: 2509mm	(99.1 in)
	D: 850mm	(31.4 in)
Screen	21. 5" capacitive screens	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 750W Normal 80W Refrigerated 1400W Normal 150W	
Weight	370kg (815.71lb) 640kg (1141lb)	
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	

Elevator Vending Machine

BV-CEL-10C(V22)+10R



Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature


- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface
- Deepened cabinet with larger lane capacity

Specification

Slot Quantity	60	120
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	300 pcs	600 pcs
Product	Fresh fruits, beverage, snack, combo	
Dimension	H:1945mm	(76.6in)
	W:1293.5mm	(50.9in)
	D:870mm	(34.2in)
	H:1945mm	(76.6in)
	W:2195mm	(86.4in)
	D:870mm	(34.2in)
Screen	21. 5" capacitive screens	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 480W Normal 75W Refrigerated 960W Normal 150W	
Weight	330 kg (727lb)	560kg (1234lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	

Elevator Vending Machine

BV-CFS-11G(V22) BV-CFS-11V-R




Intelligent
elevator system



Humanized
pick-up door



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature

- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface
- Add a companion unit to achieve double capacity

Specification

Slot Quantity	70	140
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	420-560pcs	840-1120pcs
Product	salad/vegetable/drink/snack/ combo	
Dimension	H:1960mm (77.1in)	
	W:1704mm (67.09in)	
	D:943mm (37.1in)	
Screen	H:1960mm (77.1in)	
	W:2640mm (103.9in)	
	D:943mm (37.1in)	
Screen	21.5" Touch Screen	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 850W	
	Normal 80W	
	Refrigerated 1550W	
Weight	Normal 160W	
	410kg (903.lb)	
	710kg (1565lb)	
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit	
	Card: VISA/Master Card/AMEX	
	E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	

Elevator Vending Machine

BV-CEL-84C(V22)




Intelligent
elevator system



Photoelectric
Dispensing Detection



Integral Foaming
Refrigeration



Glass
defogging system



21.5"capacitive
screens



Telemetry
system

Feature

- Smooth Elevator Delivery for Fragile Items
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification


Slot Quantity	60 with cooling, 24 non- cooling
Slot type	Spiral / Conveyor / Pusher
Slot capacity	420 pcs
Product	salad/vegetable/drink/snack/ combo
Dimension	H:1955mm (76.9in)
	W:1443mm (56.8in)
	D:850mm (33.4in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 580W Normal 80W
Weight	420 kg (925.94lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit
	Card: VISA/Master Card/AMEX
	E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Intelligent Micro Market



Intelligent Micro Market

BV-CMX-10N(V22)




XY axis intelligent scanning positioning



21.5" Touch Screen



Integral Foaming Refrigeration



Glass defogging system



Auto Door

Humanized pick-up door



Telemetry system

Feature


- Precise positioning for accurate dispensing.
- Adjustable slots for flexible layouts
- Smooth, safe delivery for fragile item

Specification


Quantity	Max 119 slots(7 layers: 17 pusher)
Types	pusher
Capacity	833~1188pcs
Product	drinks, snacks, medicine, 3C digital, cosmetics, daily products, toys, presents
Dimensions	H:1970mm W:1928mm D:980mm
Screen	21. 5" Touch Screen
Voltage	AC100V-240V,50/60HZ
Power	Refrigerated 800W Normal 100W
Weight	670kg (1477lb)
Temperature	4°C-25°C
Payment methods	Bill,coin,Cashless payment
Optional	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Intelligent Micro Market

BV-CMX-10N(V22)




XY axis intelligent scanning positioning



21.5" Touch Screen



Integral Foaming Refrigeration



Glass defogging system



Humanized pick-up door



Telemetry system

Feature

- Precise positioning for accurate dispensing
- Adjustable slots for flexible layouts
- Smooth, safe delivery for fragile items

Specification


Quantity	Max 77 slots(7 layers: 11 direct push)
Types	Pusher
Capacity	539-819pcs
Product	drinks, snacks, medicine, 3C digital, cosmetics, daily products, toys, presents
Dimensions	H:1970mm W:1440mm D:980mm
Screen	21. 5" Touch Screen
Voltage	AC100V-240V,50/60HZ
Power	Refrigerated 700W Normal 60W
Weight	480kg (1058 lb)
Temperature	4°C-25°C
Payment methods	Bill,coin,Cashless payment
Optional	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay



Hot Food Vending Machine

Hot Food Vending Machine

BV-CFM-8V+BV-CFN-ZV(V22)




XY axis intelligent scanning positioning



21.5" Touch Screen



Integral Foaming Refrigeration



Glass defogging system



Microwave quick heating



Telemetry system

Feature


- Ozone sterilization for hygienic storage.
- Expired items trigger alerts and auto-block sales.
- Smooth product delivery.
- Fast heating in 75 seconds.

Specification

Slot Quantity	28
Slot type	Conveyor
Slot capacity	56-105 boxes
Product	Sandwich, box meal, mexican food, noodles
Dimension	H:1940mm (76.3in) W:1710mm (67.3in) D:991mm (39.0in)
Screen	21.5" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Refrigerated 700W Heating 3750W
Weight	630 kg (1388.91lb)
Temperature	4°C~25°C (39.2°F~77°F) adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

BV-CFM-4C(H32)



32" Touch Screen



Humanized pick-up door



Integral Foaming Refrigeration



Ozone generator
With Ozone
sterilization function



Microwave quick heating



Telemetry system

Feature


- Ozone sterilization for hygienic storage
- Fast heating in 60 seconds
- Smooth product delivery
- Expired items trigger alerts and auto block sales

Specification

Slots Quantity	60
Slot Type	Rotary shelves
Capacity	60-68 boxes
Product	Unsealed packing Box meal, Fast food
Dimensions	H:1940mm W:1220mm D:1015mm
Screen	32" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Heating 3000W Refrigerated 700W
Weight	450kg (992lb)
Temperature	4°C~25°C adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Mini Hot Food Vending Machine

BV-CFM-2N(V22)



Intelligent
elevator system



21.5"
Touch Screen



Integral Foaming
Refrigeration



Anti-theft
shield



Microwave
quick heating



Telemetry
system

Feature

- Compact footprint for flexible placement
- Smooth product delivery
- Expired items trigger alerts and auto-block sales

Specification

Slot type	Conveyor
Slot capacity	24 boxes
Product	hamburger Sandwich, box meal, mexican food, noodles
Dimension	H:1998mm(78.6in) W:650mm(33.4in) D:645mm(25.3in)
Screen	21.5" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	2500W
Weight	180 kg (396lb)
Temperature	4°C~25°C (39.2°F~77°F)
Payment methods	Contactless bank/credit card
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

BV-CMX-10V+BV-CMX-ZV(V32)



32"
Touch Screen



Humanized
pick-up door



Integral Foaming
Refrigeration



Ozone generator
With Ozone
sterilization function



Microwave
quick heating



Telemetry
system

Feature

- Ozone sterilization for hygienic storage
- Smooth product delivery
- Expired items trigger alerts and autoblock sales

Specification

Slot Quantity	24
Slot type	Spiral / Conveyor
Slot capacity	120
Product	Bread/Hamburger/sliced pie & sandwich
Dimension	H:1965mm (77.3in) W:1645mm (64.7in) D:960mm (37.7in)
Screen	32" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	2500W
Weight	650 kg (1433lb)
Temperature	4°C~25°C (39.2°F~77°F)adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

BV-CFM-6V +BV-CFM-ZV (V22)-SW




Double microwave
quick heating



21.5"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



XY axis intelligent
scanning positioning



Telemetry
system

Feature


- Ozone sterilization for hygienic storage
- Fast heating in 60 seconds
- Expired items trigger alerts and auto-block sales

Specification

Slots Quantity	90
Shipping Method	Double pick-up port, lifting + precise delivery of manipulators
Capacity	90 boxes
Product	Unsealed packing Box meal, Fast food, soup
Dimensions	H: 2082mm (81.9in) W: 1652mm (65.0in) D: 710mm (27.9in)
Sell goods	225*170*70mm(max) (8.85 * 6.69 * 2.75in) 170*130*35mm(min) (6.69 * 5.11 * 1.37in)
Screen	21.5 inch infrared screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Heating Power	Heating 3750W*2
Temperature	4°C~25°C (39.2°F~77°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Pizza Vending Machine

BV-CMX-3C(V32)-PA



XY axis intelligent
scanning positioning



32"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



Infrared heating



Telemetry
system

Feature


- Heats each pizza in 3 minutes
- Adjustable time & temperature
- Opens boxes before heating for perfect pizza
- Expired items trigger alerts and auto-block sales

Specification

Slots Quantity	80
Shipping Method	Lifting + precise delivery of manipulators
Capacity	60/80 boxes
Product	7-12 inches Pizza
Dimensions	H:1950mm (76.7in) W:2000mm (74.8in) D:1100mm (39.3in)
Screen	32 inch touch screen
Voltage	AC220V-240V 50HZ
Heating Power	4800W
Temperature	2°C~25°C (35.6°F~77°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

BV-NFM-2C-ZM




21.5"
Touch Screen



Auto Door
Humanized
pick-up door



Integral Foaming
Refrigeration



Intelligent
elevator system



Double microwave
quick heating



Telemetry
system

Feature

- Fast heating in 4 minutes
- Smooth product delivery
- Expired items trigger alerts and autoblock sales

Specification

Slots Quantity	20
Capacity	80 PCS
Product	Noodles
Dimensions	H:1989mm (78.31in) W:1000mm (39.37in) D:1015mm (39.96in)
Sell goods	225*125*75mm(max) (8.86*4.92*2.95in) 80*80*40mm(min) (3.15*3.15*1.57in)
Screen	21.5 "Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	4500W
Weight	400kg (881.8lb)
Payment methods	Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

BV-FFM-4C(H32)



32"
Touch Screen



Auto Door
Humanized
pick-up door



Integral Foaming
Refrigeration



Ozone generator
With Ozone
sterilization function



Double microwave
quick heating



Telemetry
system

Feature

- Ozone sterilization for hygienic storage
- Fast heating in 90 seconds
- Smooth product delivery
- Expired items trigger alerts and autoblock sales

Specification

Capacity	60~84 PCS
Product	Box meal
Dimensions	H:1960mm W:1485mm D:1095mm
Sell goods	225*125*75mm(max) (8.86*4.92*2.95in) 80*80*40mm(min) (3.15*3.15*1.57in)
Screen	32"Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	8500W
Weight	750 kg (1653.4lb)
Temperature	-18℃
Payment methods	Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot & Frozen food vending machine

BV-FFM-8V(V55)+BV-FFM-ZV(V22)



Microwave quick heating



55" large advertising screen



Humanized pick-up door



Ozone generator With Ozone sterilization function



Refrigeration -18°C



Telemetry system

Feature

- -18°C Frozen Storage
- Ozone sterilization for hygienic storage
- Fast heating in 90 seconds
- Expired items trigger alerts and auto block sales

Specification

Slot type	Conveyor
Slot capacity	48-90 boxes
Product	hamburger Sandwich, box meal, mexican food, noodles
Dimension	H:1940mm (76.3in) W:1780mm(70in) D:1123mm (44.2in)
Sell goods	220*175*75mm(max) (8.66 * 6.88 * 2.95in) 48 boxes 190*155*80mm(min) (7.48 * 6.1 * 3.14in) 90 boxes
Screen	55" large advertising screen 21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Heating Power	3750W
Refrigerated Power	1800W
Temperature	-18°C~25°C (-0.4°F~77°F)
Payment methods	Contactless bank/credit card
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Hot Food Vending Machine

BV-FFM-ZV-HB+BV-FFM15V(H32)



Microwave quick heating



Humanized pick-up door



Integral Foaming Refrigeration



Ozone generator With Ozone sterilization function



32" Touch Screen



Telemetry system

Feature

- Ozone sterilization for hygienic storage
- Fast heating in 75 seconds
- Expired items trigger alerts and auto-block sales

Specification

Slot type	Conveyor
Slot capacity	90-170
Product	hamburger Sandwich, box meal, mexican food, noodles
Dimension	H:1940mm (76.3in) W:1370mm (53.9in) D:1280mm (50.3in)
Sell goods	180*180*70mm(max) (7.08* 7.08 * 2.75in) 100*100*40mm(min) (3.93 * 3.93 * 1.57in)
Screen	32" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Heating Power	Heating 3750W
Weight	400 kg (881.85lb)
Temperature	-26°C~10°C (-14.8°F~14°F) adjustable Optional: Extra heating module
Payment methods	Contactless bank/credit card
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Elevator Vending Machine with microwave

BV-CEL-11G(V22)+WB




Triple Microwave for Quick Heating




21.5"capacitive screens



Integral Foaming Refrigeration



Glass defogging system



Intelligent elevator system



Telemetry system

Feature

- Smooth Elevator Delivery for Fragile Items
- Multi-Language User Interface

Specification

Slot Quantity	60	
Slot type	Spiral / Conveyor / Pusher	
Slot capacity	300	
Product	salad/vegetable/drink/snack/ combo box meal	
Dimension	H:1945mm	(76.6in)
	W:1993.5mm	(78.4in)
	D:850mm	(33.4in)
Screen	21. 5" capacitive screens	
Voltage	AC110V~120V/220V~240V 50/60Hz	
Power	Refrigerated 750W Normal 80W	
Heating Power	3*1000 W	
Weight	510kg (1124.3lb)	
Temperature	4℃~25℃ (39.2℉~77℉) adjustable Optional: Extra heating module	
Payment methods	Bill,coin,Cashless payment	
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay	



Ice Cream Vending Machine

Ice Cream Vending Machine

BV-ICE-D2-133(22SP)



Multiple flavors



21.5"
Touch Screen



30s Quick
Making



Automatic
cleaning



Humanized
pick-up door



Telemetry
system

Feature

- Anti-ant design: Sealed cooling for safe storage
- Energy-efficient: 120 cups per 1 kWh
- Imported compressor and worm-gear motor for stability

Specification

Taste	16
Storage capacity	100 cups(10.9L)
Product	Fresh-made ice cream
Dimension	H:1822mm (21.7in) W:858mm (33.8in) D:1005mm (39.5in)
Screen	21.5" Touch Screen
Voltage	AC220V-240V, 50Hz.
Power	200W standby 2000W during dispensing
Weight	300 kg (661lb)

Customization Options


Payment Features:
Optional cash payment, membership card,
and IC card functions.

Lighting Effects:
Optional colorful lighting and lightboxes to
enhance visual appeal.

Customization Services:
Support for platform integration and third-party
payment systems.

Freezer Vending Machine

BV-FEL-9C(V22)




Intelligent
elevator system



21.5"capacitive
screens



Integral Foaming
Refrigeration



Glass
defogging system



Photoelectric
Dispensing Detection



Telemetry
system

Feature

- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface


Specification

Slots quantity	45-slots
Type	Conveyor / Spiral
Capacity	270-500
Product	ice cream, meat, frozen food
Dimensions	H:1960mm (77.1n) W:1375mm (54.1in) D:875mm (34.4in)
Screen	21. 5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	470kg (1036.17lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment

Support Credit/Debit
Card: VISA/Master Card/AMEX
E-wallet: Alipay/Monyx/Apple pay/
Google Pay/Samsung Pay

Freezer Vending Machine

BV-FEL-6G(V10)




Intelligent
elevator system



10.1"
Touch Screen



Integral Foaming
Refrigeration



Glass
defogging system



Anti-theft
shield



Telemetry
system

Feature


- Small Footprint, Flexible Denlovment
- Outward-oneninn door nrouonte enuchino franile itoms
- Multi-Language User Interface

Specification

Slots quantity	30 slots
Type	Conveyor / Spiral
Capacity	150-330
Product	Ice cream
Dimensions	H:1960mm (77.1in) W:850mm (33.4in) D:930mm (36.6in)
Screen	10" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	340 kg (749lb)
Temperature	-25°C (-13°F) (minmum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freezer Vending Machine

BV-FMX-9C(V22)




Intelligent
elevator system



21.5"capacitive
screens



Integral Foaming
Refrigeration



Glass
defogging system



Anti-theft
shield



Telemetry
system

Feature


- Products are dispensed to a side pickup point for direct access
- Multi-Language User Interface

Specification

Slot Quantity	54
Slot type	Conveyor / Spiral
Slot capacity	270-500
Product	ice cream meat frozen food
Dimension	H:1960mm (77.1in) W:1420mm (55.9in) D:982mm (38.7in)
Screen	21. 5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	420 kg (925lb)
Temperature	-25°C (-13°F) (minmum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freezer Vending Machine

BV-FEL-9G(V49)




Intelligent elevator system



49" Touch Screen



Integral Foaming Refrigeration



Glass defogging system



Anti-theft shield



Telemetry system

Feature

- Large-screen with rotating ads
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification

Slot Quantity	5 shelves, 9 slots wide as default
Slot type	Conveyor / Spiral
Slot capacity	270-500
Product	ice cream / meat / frozen food
Dimension	H:1960mm (77.in) W:1163mm (45.7in) D:944mm (39.1in)
Screen	49" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	470 kg (1036.17lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Freezer Vending Machine

BV-FSC-9C(V22)



All-steel Thickened Fuselage



21.5" Touch screens



Integral Foaming Refrigeration



Glass defogging system



Anti-theft shield



Telemetry system

Feature

- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification


Slots quantity	45-slots
Type	Conveyor / Spiral
Capacity	270-500
Product	ice cream, meat, frozen food
Dimensions	H:1960mm (77.1n) W:1375mm (54.1in) D:875mm (34.4in)
Screen	21.5" Touch screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	1200W
Weight	470 kg (1036.17lb)
Temperature	-25°C (-13°F) (minum)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Coffee Machine



Freshly Ground Coffee Machine


BV-NCF-7N(V22)



Italian
type extractor



21.5"capacitive
screens



Swiss flat
knife sharpener



Precise
temperature control



Coffee bean
pre-soaking



Self-cleaning

Feature


- Customizable recipes via backend
- Supports 70/80/90mm cup sizes
- Rich, fine coffee crema for a smooth taste
- Compatible with external water supply or internal water tank

Specification

Coffee bean hopper	1.5Kg (3.31lb)
Instant canisters	(4L*6)
Brewer system	7-16g powder
Cup capacity	120 cups,120caps(optional)
Dimensions	H:1730mm (68.1in) W:620mm (24.4in) D:730mm (28.7in)
Screen	21.5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Peak power	3000W
Standby power	Less than 25W
Making time	About 45s
Weight	220 kg (485.02lb)
Temperature	92°C (197.6°F)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Ice making Coffee Machine


BV-NCF-8N(V32)



Italian type extractor



32" Touch Screen



Swiss flat knife sharpener



Precise temperature control



Coffee bean pre-soaking



Self-cleaning

Feature

- Customizable recipes via backend
- Built-in ice-making module for cold drink
- Rich, fine coffee crema for a smooth taste
- Compatible with external water supply or internal water tank

Specification

Coffee bean hopper	1.5Kg (3.31lb)
Instant canisters	(4L*6)
Brewer system	7-16g powder
Ice production	75Kg/day (ambient temperature: 25)
Syrup	Customizable syrup
Cup capacity	150 cups, 100Z/120Z/160Z
Dimensions	H: 1940mm (76.3in) W: 900mm (35.4in) D: 795mm (31.2in)
Screen	32" Touch Screen
Weight	290kg
Voltage	AC110V~120V/220V~240V 50/60Hz
Peak power	3200W
Standby power	Less than 80W
Making time	About 60s
Temperature	92°C (197.6°F)
Payment methods	Bill,coin,Cashless payment

Support Credit/Debit
Card: VISA/Master Card/AMEX
E-wallet: Alipay/Monyx/Apple pay/
Google Pay/Samsung Pay

Freshly Ground Coffee Machine

BV-NCF-4N(V10.1)



Italian type extractor



10.1" Touch Screen



Swiss flat knife sharpener



Precise temperature control



Coffee bean pre-soaking



Self-cleaning

Feature

- Customizable recipes via backend
- Rich, fine coffee crema for a smooth taste

Specification

Coffee bean hopper	1.2Kg (2.65lb)
Instant canisters	(4L*2 /2L*1)
Brewer system	7-16g powder
Dimensions	H:810mm (31.8in) W:500mm (19.6in) D:450mm (17.7in)
Screen	10.1" Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Peak power	3000W
Standby power	Less than 30W
Making time	About 60s
Temperature	92°C (197.6°F)
Payment methods	Bill,coin,Cashless payment

Support Credit/Debit
Card: VISA/Master Card/AMEX
E-wallet: Alipay/Monyx/Apple pay/
Google Pay/Samsung Pay

Coffee and Snack Combo Machine


BV CSC-10G(V22)-CF



4 hot, 4 cold
instant drink



21.5"capacitive
screens



Ultra-microporous
high density foam layer



International
MDB standard



Grating
detection



Telemetry
system

Feature

- Flexible cup options: machine or personal
- One Machine for Noodles, Coffee & Retail Items
- Compatible with external water supply or internal water tank

Specification


Slots quantity	60 slots
Type	Spring slots /Conveyor
Capacity	All beverage 300 pcs
Instant canisters	4L*4
Quantity of cups	180 pcs
Cup Rim Size	70mm / 80mm / 90mm
Suitable for	drinks, snacks, coffee etc, cup noodles
Dimensions	H:1951mm (76.8in) W:1440mm (56.7in) D:791mm (31.14in)
Screen	21. 5" capacitive screens
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	Heating 1800W Refrigerated 422W Normal 40W
Weight	320 kg (705lb)
Temperature	4°C~25°C (39.2°F~77°F)adjustable Optional: Extra heating module
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay



Mystery box
Vending Machine

Mystery Box Vending Machine

BV-NMX-10N(V22)



XY axis intelligent scanning positioning



21.5"capacitive screens



Humanized pick-up door



Basket type pickup mechanism



Luxury panoramic window



Telemetry system

Feature

- Precise positioning for accurate dispensing.
- Adjustable slots for flexible layouts
- Smooth, safe delivery for fragile items

Specification

Slots quantity 5 trays with 11 pusher slots on each tray

Type Pusher

Capacity 210-300

Suitable for Collectible toys, Fine Gadgets, Stationery items

Dimension H: 1970mm (77.5inch)
W: 1887mm (74.2inch)
D: 990mm (38.9inch)

Screen 21. 5" capacitive screens

Voltage AC110V~120V/220V~240V
50/60Hz

Power Normal 60W

Weight 460 kg (1014lb)

Surveillance video, membership/student/IC card payment options and third-party payments

Optional Hospitals, schools, shopping malls, subway stations, airports, etc.



Non-refrigerated

Vending Machine

Free Standing Age Verification Automat

BV-NSC-3N(V32)



All-steel
Thickened Fuselage



32"
Touch Screen



Low cost
and risk



Telemetry
system

Feature

- Supports secure age verification.
- Wall mount/Built In, suits Anywhere

Specification

Quantity	5 trays, 3 spiral slots wide, 11 vacancies per slots for disposable pens
Type	Spiral slot
Capacity	Maximum 225 pcs
Suitable for	Disposable vape pens/ E juice bottle/Replacement coils, small items
Dimension	H: 1835mm (72.2in) W: 700mm (27.5in) D: 700mm (27.5in)
Screen	32 inch touch screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	80W
Net Weight	130 kg (286.60lb)
Gross Weight	180 kg (396.83lb)
Temperature	Ambient Temperature
Payment methods	Bills, bankcards, QR Pay
Age Verification	Read birthday from ID/Drive license to compare age required, Give pass to purchase
Disclaimer	Privacy data is completely safe, only match age, no memory

Non-refrigerated Vending Machine

BV-NSC-10C(H5)



Photoelectric
Dispensing Detection



Anti-theft
shield



All-steel
Thickened Fuselage



Telemetry
system

Feature

- Token operation available upon customization
- Outward-opening door prevents crushing fragile items
- Multi-Language User Interface

Specification

Slots quantity	60 slots
Type	Spring slots
Capacity	300 pcs
Suitable for	Snacks,Chips,Candy bar
Dimension	H:1940mm (76.3in) W:1121mm (44.1in) D:771mm (30.3in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	50W
Weight	200 kg (440lb)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Non-refrigerated Vending Machine


BV-NSC-10C(H5)+19S



Photoelectric Dispensing Detection



Anti-theft shield



One product per grid



Telemetry system

Feature

- One item per slot, any size or shape.
- Supports diverse products without restrictions.
- Combo packs available to boost sales.

Specification

Slots quantity	60+19
Type	Spring slots
Capacity	300+19 pcs
Suitable for	Snacks,Chips,Candy bar
Dimension	H: 1940mm (76.3in) W: 2201mm (86.6in) D: 771mm (30.3in)
Voltage	AC110V~120V/220V~240V 50/60Hz
Power	40W
Weight	320 kg (705.48lb)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Phone Case Printing Vending Machine

BV-NPC-9C(V22)



XY axis intelligent scanning positioning



21.5" Touch Screen



Industrial UV Printing Technology



Humanized pick-up door



All-steel Thickened Fuselage



Telemetry system

Feature

- 2-3 Minute Instant Printing & Pickup
- Fits 80+ iPhone Case Models
- Custom Image & Photo Upload

Specification

Slots quantity	80
Capacity	300~800
Product	Phone case
Dimensions	H:1966mm(77.4in) W:1230mm(48.4in) D:1022mm(40.24in)
Screen	21.5 "Touch Screen
Voltage	AC110V~120V/220V~240V 50/60Hz
Weight	350 kg (771.6bl)
Payment methods	Bill,coin,Cashless payment
Support	Credit/Debit Card: VISA/Master Card/AMEX E-wallet: Alipay/Monyx/Apple pay/ Google Pay/Samsung Pay

Vending Lockers



Quantity	19		
Power	30W		
Weight	120kg (264.5lb)		
Dimension	H:1933mm (76.1in)	W:1080mm (42.5in)	D:320mm (12.6in)

Suitable for Drinks, Snacks, Toys, Combo Non-refrigerated goods



	27	
	36W	
	120 kg (264.5lb)	
Voltage	AC110V~120V/220V~240V,50/60Hz	

Optional E-wallet: Ali pay, Wechat pay, card payment functions



	40	
	45W	
	120 kg (264.5lb)	
Temperature	Normal	



	64		
	45W		
	120kg (264.5lb)		
H:1933mm	W:1080mm	D:320mm	
(76.1in)	(42.5in)	(12.6in)	

Suitable for Drinks, Snacks, Toys, Combo Non-refrigerated goods



	80	
	50W	
	130kg (286.6lb)	
AC110V~120V/220V~240V,50/60Hz		

Optional E-wallet: Ali pay, Wechat pay, card payment functions



	36	
	700W	
	130 kg (286.6lb)	
SMART HEATED LOCKERS		